


RRLKBF
RRLKGF
Features:

1. The runner cooling efficiency is improved and pull-out failure is prevented.

Installation Guidelines:

- Effective when runner is thick or when cooling is difficult.

Order RRLKBF-D-L-P-d **M** :SKH51 **H** :58-60HRC

Code	D	H	0.1mm		
			B	P	d
RRLKBF	2	4	1 -3	0.9-1.9	0.8-1.8
	3	5		0.9-2.9	0.8-2.8
	4	6	1.3-3.8	1.1-3.9	1 -3.8
	5	7	1.5-4.5	1.3-4.9	1.2-4.8
	6	8		1.6-5.9	1.5-5.8
	8	10	2 -6	2.1-7.9	2 -7.8
	10	13	2.5-7.5	2.6-9.9	2.5-9.8

D	@ ¥ / P 0.1mm												
	L14	L19	L25	L30	L35	L40	L45	L50	L60	L70	L80	L90	L100
2													
3													
4													
5													
6													
8	-												
10													

Order RRLKGF-D-L-P-d **M** :SKH51 **H** :58-60HRC

Code	D	H	0.1mm		
			B	P	d
RRLKGF	2	4	1 -3	0.9-1.9	0.8-1.8
	3	6		0.9-2.9	0.8-2.8
	4	7	1.3-3.8	1.1-3.9	1 -3.8
	5	8	1.5-4.5	1.3-4.9	1.2-4.8
	6	9		1.6-5.9	1.5-5.8
	8	11	2 -6	2.1-7.9	2 -7.8
	10	15	2.5-7.5	2.6-9.9	2.5-9.8

D	@ ¥ /P 0.1mm												
	L14	L19	L25	L30	L35	L40	L45	L50	L60	L70	L80	L90	L100
2													
3													
4													
5													
6	-												
8													
10													

